

The commitment to global sea level rise over the next 500 years

Steven Phipps¹, Jason Roberts², Matt King³ and Xuebin Zhang⁴

¹Institute for Marine and Antarctic Studies, University of Tasmania, Hobart, Australia

²Australian Antarctic Division, Kingston, Tasmania, Australia


³School of Technology, Environments and Design, University of Tasmania, Hobart, Australia

⁴CSIRO Oceans and Atmosphere, Hobart, Australia

Acknowledgement: Centre for Southern Hemisphere Oceans Research



SCAR 2020, 3-7 August 2020

Likely changes in global sea level by 2081–2100?




IPCC AR5 WG1 report (2013)

Antarctic contribution to global sea level (2000–2500)




DeConto and Pollard (2016), *Nature*

What are the potential economic impacts?




Climate Council of Australia (2014)

Generating robust projections of sea level rise



How do we project changes in global sea level?




Exploring uncertainty in ice sheet dynamics

- Problem:

- There are gaps in our understanding of ice sheet dynamics.


- Solution:

- Run the model many times, changing the model physics each time to sample as many different physical combinations as possible.




Climate modelling: Simulating the past


- Use the CSIRO Mk3L climate system model to simulate the last glacial cycle, from 130,000 years ago to present.
- During the Last Glacial Maximum (LGM; ~21,000 years ago), global sea level was around 120 m lower than today.



Climate modelling: Simulating the future




Climate modelling: Simulating the future





Simulated Antarctic contribution to global sea level

- Use the climate model output to drive 100 simulations using PISM.





Using information from the past

- The Last Glacial Maximum sea level contribution was at least 5 m.





Using information from the present

- The present-day ice sheet should be consistent with observations.




Combining information from the past and present

- Now we apply the LGM and present-day criteria simultaneously.



Combining information from the past and present



Simulated Antarctic contribution to global sea level

